


COLOR IMAGE PROCESSING

Why do we use color image (motivation):

- In automated image analysis, color is a powerful descriptor → simplify object identification and extraction from a scene
- For human vision → human eye can discern thousands of color shades and intensities (only two dozen shades of gray)
- **Two major areas:**
 - Full color processing → images are acquired with a full-color sensor (color TV camera or color scanner ...)
 - Pseudo-color processing → pseudo-color images are generated by assigning a shade of color to a monochrome intensity (or range of intensities)

1



(a) (b)

FIGURE 6.20 (a) Monochrome image of the Picker Thyroid Phantom. (b) Result of density slicing into eight colors. (Courtesy of Dr. J. L. Blankenship, Instrumentation and Controls Division, Oak Ridge National Laboratory.)

2

Outlines

- Color Fundamentals
- Color Models
- Pseudocolor Image Processing
- Basics of Full-Color Image Processing
- Color Transformation

3

Color Fundamentals

4

Achromatic versus chromatic

- achromatic light: void of color, only attribute is its intensity measured by gray levels , e.g., black-and-white TV (the kind of images that we discussed so far)
- chromatic light: (wavelength: 400~700nm) 3 basic quantities are used to describe the quality of a chromatic light source:
 - **radiance**: total amount of energy that flows from the light source (in watts)
 - **luminance**: amount of energy an observer perceives from a light source (in lumens, lm); e.g., far infrared light has large radiance, but an observer would hardly perceive it
 - **brightness**: (a subjective descriptor) similar to the achromatic notion of intensity, one of the key factors in describing color sensation

5

Primary colors versus secondary colors (of light):

- **primary colors**: red (R), green (G), blue (B); note RGB components acting alone cannot generate all spectrum colors
- **secondary colors**: magenta (R+B), cyan (G+B), yellow (R+G)
- mixing the 3 primaries \Rightarrow white light

Primary colors versus secondary colors (of pigments):

- **primary colors**: magenta, cyan, yellow (def: absorb a primary color of light and reflect or transmit the other two)
- **secondary colors**: R, G, B

6




FIGURE 6.1 Color spectrum seen by passing white light through a prism. (Courtesy of the General Electric Co., Lamp Business Division.)

7




FIGURE 6.2 Wavelengths comprising the visible range of the electromagnetic spectrum. (Courtesy of the General Electric Co., Lamp Business Division.)

8




FIGURE 6.3 Absorption of light by the red, green, and blue cones in the human eye as a function of wavelength.



Primary/secondary colors of light

Primary/secondary colors of pigment



FIGURE 6.4 Primary and secondary colors of light and pigments. (Courtesy of the General Electric Co., Lamp Business Division.)

3 characteristics used to distinguish one color from another: brightness, hue, saturation

- brightness: chromatic notion of intensity
- hue: attribute associated with the dominant wavelength in a mixture of light waves (dominant color perceived by an observer); e.g., we call an object red or yellow \Rightarrow we specify its hue
- saturation: relative purity (e.g., the pure spectrum colors, red, orange, yellow, green, blue, and violet, are fully saturated); pink is less saturated
- hue+saturation \Rightarrow chromaticity
- tristimulus values: amounts of R, G, and B needed to form a particular color (X, Y, Z)

11

- Trichromatic coefficients: proportion of R, G, and B (x, y, z)


$$x = \frac{X}{X + Y + Z}, \quad y = \frac{Y}{X + Y + Z}, \quad z = \frac{Z}{X + Y + Z}$$

$$\text{so } x + y + z = 1$$

12

- **Chromaticity diagram**— a function of x (red) and y (green)
 - point of equal energy ($x=y=z$) \Rightarrow white light
 - any point located on the boundary of the chromaticity chart (Plate IV) \Rightarrow completely saturated
 - a point leaves the boundary and approaches the point of equal energy \Rightarrow saturation \rightarrow 0

13



Color Models

15

- Color models: to facilitate the specification of colors, a color model is used to specify a 3D coordinate system for color representation
 - Hardware-oriented color models: RGB model for color monitors and color video cameras, CMY model for color printers; YIQ model for color TV broadcast

16


- RGB color model

- ① p.226, Figure 4.44: normalized to $[0,1]$ (unit cube)
 - 3 coordinates: red, green, blue
 - 3 corners: cyan, magenta, yellow
 - origin: black
 - $(1,1,1)$: white
- ② images in RGB model \Rightarrow 3 independent image planes (red, green, blue) that can be processed independently
- ③ one useful application: processing of aerial and satellite multispectral image data (one frame consists of 4 digital images taken through a different spectral range) \Rightarrow each image plane has specific physical meaning; useful for image segmentation (based on spectral components)

17



FIGURE 6.7

Schematic of the RGB color cube. Points along the main diagonal have gray values, from black at the origin to white at point $(1, 1, 1)$.



RGB color cube. Points along the main diagonal have gray values

18



- Many systems are limited to 256 colors although 24-bit RGB image is available
- The set of safe (or, the set of all-systems-safe) RGB colors A subset of colors that are likely to be reproduced faithfully (reasonably independently of viewer hardware capabilities)




FIGURE 4.10
 (a) The 236 safe RGB colors.
 (b) All the grays in the 256-color RGB system (grays that are part of the safe color group are shown underlined).

21

- Assume all color values are normalized to [0,1]
- The CMY color model is used in connection with generating hardcopy output
- CMYK → K is the fourth color, black; because equal amount of CMY produces a muddy-looking black, since black is the predominant color in printing, we need to produce true, pure black
- CMY color model:

$$\begin{bmatrix} C \\ M \\ Y \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix} - \begin{bmatrix} R \\ G \\ B \end{bmatrix}$$

22

HSI color model

- RGB and CMY are not well suited for describing colors for human interpretation
- Hue (H), saturation (S), and intensity (I)
 - Hue → color attribute that describes a pure color (e.g., pure yellow or red)
 - Saturation → a measurement of the degree to which a pure color is diluted by white light
 - Intensity → can be decoupled from the color information (H and S)
- HSI is ideal for processing color image based on the color sensing properties of the human visual system

23

- **I (intensity)** → The line joining vertex $(0,0,0)$: black and vertex $(1,1,1)$: white
- All points along this axis are gray




FIG 6.12

FIGURE 6.12 Conceptual relationships between the RGB and HSI color models.

24

- **H (hue)** → All points in the plane defined by black, white, and color_a have the same hue (color_a)




FIGURE 6.12 Conceptual relationships between the RGB and HSI color models.


25

- **S (saturation)** → To determine the saturation (purity) of color_a , draw a plane containing color_a and perpendicular to the intensity axis and have the same hue (color_a); saturation is the **perpendicular (shortest) distance** between the point color_a and the intensity axis
- Thus, the hue, saturation, and intensity values required to form the HIS space can be obtained from the RGB color cube


26

HIS color model

Triangular color plane perpendicular to the vertical intensity axis



Circular color plane perpendicular to the vertical intensity axis



RGB → HSI

$$H = \begin{cases} \theta, & B \leq G \\ 360 - \theta, & B > G \end{cases} \quad \text{where}$$

$$\theta = \cos^{-1} \left\{ \frac{\frac{1}{2}[(R-G) + (R-B)]}{\sqrt{(R-G)^2 + (R-B)(G-B)}} \right\}$$

$$S = 1 - \frac{3}{R+G+B} [\min(R, G, B)]$$

$$I = \frac{1}{3}(R+G+B)$$

RGB ← HSI



$$B = I(1 - S)$$

$$R = I \left[1 + \frac{S \cos H}{\cos(60^\circ - H)} \right]$$

$$G = 1 - (R + B)$$

29

Hue (L), saturation (M), and intensity (R) images for the RGB values (right)



300

FIGURE 6.15 HSI components of the image in Fig. 6.8. (a) Hue, (b) saturation, and (c) intensity images.

30

Pseudocolor Image Processing

31

- Pseudo-color image processing → approaches for assigning color to monochrome images based on properties of gray-level content
- Discuss three approaches:
 - Intensity slicing and color coding
 - Gray-level to color transformations
 - Filtering approach

32

Intensity slicing (density slicing) and color coding

- Based on 3D representation of intensity function $f(x,y)=l$ (3 coordinates: x -, y -, l -axis)
 - step①: M planes defined by $f(x,y)=l_i$, $i=1,\dots, M$ ($l_0=0$: the x - y plane, $l_M=L$) are used to slice the 3D function into $M+1$ regions R_k $k=0,\dots, M$
 - step②: assign color c_k to the (x_k,y_k) at region R_k
 $f(x_k,y_k)=c_k$
- An example \Rightarrow strong color-region correlation

33

Intensity-slicing technique





FIGURE 6.18 Geometric interpretation of the intensity-slicing technique.

34

Monochrome image of the
Picker Thyroid Phantom
(a radiation test pattern)

Result of density-slicing
into 8 color regions




a b

FIGURE 6.20 (a) Monochrome image of the Picker Thyroid Phantom. (b) Result of density-slicing into eight colors. (Courtesy of Dr. J. L. Blankenship, Instrumentation and Controls Division, Oak Ridge National Laboratory.)

35

Use of color to highlight rainfall levels



a b
c d

FIGURE 6.22 (a) Gray-scale image in which intensity (in the lighter horizontal band shown) corresponds to average monthly rainfall. (b) Colors assigned to intensity values. (c) Color-coded image. (d) Zoom of the South America region. (Courtesy of NASA.)

36

Gray level to color transformations

- Perform three independent transformations on the gray level of any input pixel and combine the three results (e.g., for color television monitor: feed the 3 results separately into the red, green and blue guns)
- Properties: (Figure 6.25) phase and frequency of sinusoid affect color ranges in the gray scale (e.g. pixels with gray levels in the steep section of sinusoids are assigned a much stronger color content)

Figure 6.24 (images of luggage obtained from an airport x-ray scanning system)

37





FIGURE 6.23 Functional block diagram for pseudocolor image processing. f_R , f_G , and f_B are fed into the corresponding red, green, and blue inputs of an RGB color monitor.

Gray level to color transformations



38

Transformation functions used to obtain images in
Fig 6.24



Pseudo-color enhancement
 by Fig 6.25

2 images of luggage from
 airport x-ray scanning system
 (left) ordinary articles
 (right) same as left + a block
 of simulated plastic explosives



Obtained from Fig 6.25(a)

Obtained from Fig 6.25(b)

6.4

FIGURE 6.24 Pseudocolor enhancement by using the gray-level to color transformations in Fig. 6.25. (Original image courtesy of Dr. Mike Hurwitz, Westinghouse.)





FIGURE 6.26 A pseudocolor coding approach used when several monochrome images are available.

- Combine several monochrome images into a single color composite
- Often applied in multispectral image processing (different monochrome images acquired by different spectral bands)


41

Spectral satellite images of Washington, D.C.
(from left to right) visible red, green, blue, and NIR



42

Full-color image obtained by combining the visible red, green, and blue images (a)-(c) into an RGB image



Full-color image obtained by combining the visible green, blue, and NIR images (b)-(d) into an RGB image

NIR → strongly responsive to the biomass components (in red) of a scene, in comparison with the human-made features composed primarily of concrete and asphalt (in blue)


43

A filtering approach

- Color-coding scheme based on frequency domain operations—Fourier transform of an image is modified independently by 3 (different) filter functions to produce 3 images (representing red, green, blue image planes) which are fed into color monitor
- An image is color coded based on its frequency content

Figure 4.52 (1992 edition)

44



Basics of Full-Color Image Processing

- Two major categories of full-color image processing approaches
 - **Per-color-component processing**: Process each component image individually → form a composite processed color image
 - **Vector-based processing**: Work with color pixels (as a vector) directly
- To make results of two approaches equivalent:
 - The image processing method has to be applicable to both vectors and scalars
 - The operation on each component of a vector must be independent of the other components

47

Let \mathbf{c} represent an arbitrary vector in RGB color space, the color components can be represented as a function of coordinates (x,y) →

$$\mathbf{c}(x, y) = \begin{bmatrix} c_R(x, y) \\ c_G(x, y) \\ c_B(x, y) \end{bmatrix} = \begin{bmatrix} R(x, y) \\ G(x, y) \\ B(x, y) \end{bmatrix}$$


$$\text{for } \begin{cases} 0 \leq x \leq M - 1 \\ 0 \leq y \leq N - 1 \end{cases}$$

48

Neighborhood average: cannot satisfy the two conditions, results of two full-color processing approaches are different

a. b.

FIGURE 6.29
Spatial masks for
gray-scale and
RGB color
images.



49

Color Transformations

50

- Color transformations → process the components of a color image within the context of a single color model
- Formulation is similar to the gray-level transformation: $g(x,y)=T[f(x,y)]$
 - $f(x,y)$: color input image
 - $g(x,y)$: transformed (processed) color output image
- Pixel values are triplets (RGB, CMY, HSI) or quartets (CMYK)

51

$$s_i = T_i(r_1, r_2, \dots, r_n), \quad i = 1, 2, \dots, n$$

$r_i \rightarrow$ color component of $f(x,y)$ at point (x,y)

$s_i \rightarrow$ color component of $g(x,y)$ at point (x,y)

$n \rightarrow$ number of color components ($n=3$ for RGB, HSI; $n=4$ for CMYK)

$T: \{T_1, T_2, \dots, T_n\} \rightarrow$ a set of n transformation (or, color mapping) functions to perform $r_i \rightarrow s_i$


52




CMYK components of a full-color image 0: black, 1:white

Black is confined to the coffee and shadows of strawberries


Full-color image




Cyan image



Magenta image



Yellow image



Black image

Strawberries are composed of large amounts of magenta and yellow



RGB components of a full-color image 0: black, 1:white

Full color



Red image




Green image



Blue image


Strawberries contain a large amount of red and very little green and blue

HSI components of a full-color image



Full color

Strawberries are relatively pure in color and possess the highest saturation



Hue Saturation Intensity

Intensity component is a monochrome rendition of the full-color image

55

- Color transformation example → modify the intensity of the *Strawberry image*
 - Transformation performed in **HSI** color space:
 - $T_1: s_1=r_1$ (hue)
 - $T_2: s_2=r_2$ (saturation)
 - $T_3: s_3=kr_3$ $0 < k < 1$ (intensity)
 - RGB color space:
 - $T_i: s_i=kr_i, i=1, 2, 3$ (R, G, B)
 - CMY color space:
 - $T_i: s_i=kr_i+(1-k), i=1, 2, 3$ (C, M, Y)
- 56

Decrease intensity of
the left image by 30%

(a) (b)

FIGURE 6.31
Adjusting the
intensity of an
image using color
transformations.
(a) Original
image. (b) Result
of decreasing its
intensity by 30%.
(i.e., letting
 $k = 0.7$).
(c)–(e) The
required RGB,
CMY, and HSI
transformation
functions.
(Original image
courtesy of
MedData
Interactive.)

